

Bearing Protectors & Marine Seals



Stainless Steel Bearing Protectors

07241	1.781	LM11949	LM11910
07243	1.810	LM12749	LM12711
07245	1.938	O9067	O9194, 95, 96
07247	1.968	M12649, O7100	M12610, O7196
07371	1.980	L44649, L44643, L44610	L44610
07651	1.980T	All internally threaded hubs	
07251	2.047	Various	O7204
07253	2.080	900 Series	900 Series
07255	2.240	1700 Series	1729
07257	2.328	LM67048, hub counterbored	LM67010
07656	2.441	LM67048, not counterbored 15123 and others	LM67010, 15245
07666	2.562	48548	48510
07671	2.717	14124, 14125A	14276



Bearing Protector Bra

05681	17B	1.781, 1.810
05680	19B	1.938, 1.968, 1.980, 2.047, 2.080
05682	23B	2.240, 2.328, 2.441, 2.562, 2.717



Marine Seals for UFP Axles

07026	Marine Seal, 1.98 - 1.38
07027	Marine Seal, 2.33 - 1.68 Non-Counterbored
07028	Marine Seal, 2.56 - 1.68 Counterbored
07029	Marine Seal, 3.26 - 2.13
07040	Marine Seal, 3.38 - 2.13



- 07030 Marine Grease 14oz
- 07500 Trailer Buddy TB1980
- 07509 Replacement cap

(909) 986-3737 Tel
(909) 986-9765 Fax

Arrow Trailer Supplies

AxleParts@ArrowTrailer.Net
<http://www.ArrowTrailer.Net>

Wheel Bearings & Spindo[®] Seals

Bearing Replacement Kits



Part Number	Spindle Size	Inner Hub ID	Outer Hub ID	Inner Bearing		Outer Bearing	
				Cone	Cup	Cone	Cup
07001	3/4"	1.781	1.871	LM11949	LM11910	LM11949	LM11910
07002	1"	1.980	1.980	L44643	L44610	L44643	L44610
07003	1-1/16"	1.980	1.980	L44649	L44610	L44649	L44610
07004	1-1/4"	2.328	2.328	LM67048	LM67010	LM67048	LM67010
07005	1-1/16" x 3/4"	1.980	1.781	L44649	L44610	LM11949	LM11910
07006	1-1/4" x 3/4"	2.232	1.781	LM67048	LM67010	LM11949	LM11910
07007	1-3/8" x 1-1/16"	2.328	1.980	L68149	L68110	L44649	L44610
07008	1-3/8" x 1-1/16"	2.362	1.980	L68149	L68111	L44649	L44610
07009	1-3/4" x 1-1/4"	3.265	2.328	25580	25520	LM67048	LM67010
07010	1-3/4" x 1-1/4"	3.265	2.717	25580	25520	14125A	14276

SPINDO[®] Seal for Non-UFP Axles



Part Number	Model Number	Use with Bearing Protector	If Inner Bearing Cone Number is	Seal
				Diameter
05611	1	1.980	L44649	1.98"
05613	2	1.980, 1.968, 2.562	LM48548, L68149	2.56"
05615	3	1.980	LM29749	2.56"
05617	4	1.938, 1.980T	15123	2.63"
05619	5	1.980	L44649	1.98"
05623	7	1.781	LM67048	2.33"
05625	8	2.328	LM67048	2.33"
05627	9	1.938, 1.980T	15123	2.50"
05629	10	1.810	L68149	2.36"
05631	11	2.441	25580	3.38"



33521 L-Ring - 1062 Hubs - 1.38" O.D.
 33522 L-Ring - 1377 Hubs - 1.68" O.D.
 33523 L-Ring - 1750 Hubs - 2.13" O.D.

05828 Oil Cap 5200# 2.328"
 07501 Oil Cap 3500# 1.980"
 05405 O-Ring for Oil Cap 5200# 2.328"
 05407 O-Ring for Oil Cap 3500# 1.980"

(909) 986-3737 Tel
 (909) 986-9765 Fax

Arrow Trailer Supplies
 2

AxleParts@ArrowTrailer.Net
<http://www.ArrowTrailer.Net>

Couplers & Actuators



34100 A-Frame Coupler With Jack Top Holes

34304 A-Frame Coupler Without Top Holes

Raw Finish - Weld-On Only!

34318 Straight Coupler With Mounting Holes
Plated Finish

34099 Straight Coupler Without Mounting Holes
Raw Finish - Weld-On

UFP Model A-60



Bolt-On Hydraulic Brake Actuator

- | | | |
|-------|-------------|---|
| 34624 | A-60S/IM-S | A-60S Body : Single or Tandem <u>DRUM</u> Only (W/O Solenoid) |
| 34626 | A-60S/IM-E | A-60S Body : Single Disc, Single or Tandem Drum (With Solenoid) |
| 34627 | A-60S/IM-TE | A-60S Body : Tandem Disc (With Solenoid) |

(909) 986-3737 Tel
(909) 986-9765 Fax

Arrow Trailer Supplies
3

AxleParts@ArrowTrailer.Net
<http://www.ArrowTrailer.Net>


UFP Model A-60 Components



34039 Inner Member - W/O Solenoid:
Single or Tandem DRUM Only


34375 A-60S Zinc Plated

34043 Inner Member - With Solenoid:
Single Disc
Single or Tandem Drum




34044 Inner Member - With Solenoid:
Tandem Disc

34064 A-60T Raw




A complete Model A-60 actuator consists of an Inner Member and an Actuator Body. Shown are in stock Actuator Bodies. Other configurations are available, contact us for more information

34066 A-60L Raw



35693 A-60XL/MTG Zinc Plated



(909) 986-3737 Tel
(909) 986-9765 Fax


Arrow Trailer Supplies

4

AxleParts@ArrowTrailer.Net

<http://www.ArrowTrailer.Net>

UFP Model A-60 Parts




ITEM NO.	PART NO.	DESCRIPTION	QTY	ITEM NO.	PART NO.	DESCRIPTION	QTY
1	34021	Inner Member, Primary Assy.	1	18	32291	3/8-16 x 1.00" Bolt	1
2	various	Outer Member	1	19	34301	Shock Absorber Bushing	1
3	various	Master Cylinder Assembly	1	20	34380	Cable Attachment Plate	1
4	34079	Roller Pin	2	21	32547	Outer Member Cap, Plastic	1
5	32262	Retaining Ring	2*	22	32592	Top Pad	1
6	32260	Wear Pad, Thin (sides)	6	23	34355	Breakaway Cable Clip	1
7	32263	Wear Pad, Thick (top/bottom)	3	24	34378	Pushrod Release Bracket	1
8	34370	Breakaway Cable Assembly	1	25	32546	Pushrod Release Bracket Spring	1
9	34371	Front Roller	2	26	34545	Hitch Pin Kit (Pin, Decal & Retainer)	1
10	34376	Rear Roller	2				
11	32306	Shock Absorber	1	27	34500	Solenoid Valve Assembly w/fittings	1**
12	35112	Pushrod Assembly	1	28	34508	Reverse Valve Drain Tube	1**
13	34300	Reservoir Plate Cover	1	29	32269	Nylon Cable Tie	2**
14	32288	Reservoir Diaphragm	1	30	32570	#10-32 Mini-Barb Fitting	1**
15	32286	Reservoir Plug	1	31	34359	Side Brake Lockout	
16	36360	Latch Replacement Kit, New	1	32	34557	Top Brake Lockout Cap	
17	32554	Roller Pin Washer	2*	* Per Pin **Not applicable to all models			

(909) 986-3737 Tel
(909) 986-9765 Fax


Arrow Trailer Supplies
5

AxleParts@ArrowTrailer.Net
http://www.ArrowTrailer.Net

UFP Model A-60 Parts



#1
34021 Inner Member, Primary Assembly



#6 32260 Wear Pad, Thin (sides)
#7 32263 Wear Pad, Thick (top / bottom)




#3
34762 Master Cylinder with Return Line
35154 Master Cylinder W/O Return Line
32780 Master Cylinder Rubber Boot Only



#8 37370 Breakaway Cable Assembly



#4 34079 Roller Pin
#5 32262 Retaining Ring (req. 2 per pin)




#9 34371 Front Roller - Steel
#10 34376 Rear Roller - Nylon

(909) 986-3737 Tel
(909) 986-9765 Fax

Arrow Trailer Supplies
6

AxleParts@ArrowTrailer.Net
<http://www.ArrowTrailer.Net>

UFP Model A-60 Parts



32306 Shock Absorber




36360 Latch Replacement Kit




35112 Pushrod Assembly w/Boot - Drum
35114 Pushrod Assembly w/Boot - Disc



32554 Roller Pin Washer (req. 2 per pin)
32291 Bolt 3/8-16 x 1
34301 Shock Absorber Bushing




32288 M/C Reservoir Diaphragm
34300 M/C Reservoir Cover Plate
32286 M/C Reservoir Plug (not shown)



34380 Cable Attaching Plate
32547 Outer Member Cap, Plastic

UFP Model A-60 Parts



32592 Top Pad
34355 Breakaway Cable Clip




34500 Solenoid Valve Assembly
34508 Reverse Valve Drain Tube
32570 #10-32 Mini-Barb Fitting



34378 Pushrod Release Bracket
32546 Pushrod Release Bracket Spring



34359 Side Brake Lockout
34557 Top Brake Lockout Cap



34545 Hitch Pin Kit (pin, decal & retainer)




34551 Dealer Lockout

(909) 986-3737 Tel
(909) 986-9765 Fax

Arrow Trailer Supplies
8

AxleParts@ArrowTrailer.Net
<http://www.ArrowTrailer.Net>

AXLE TERMINOLOGY



HUB FACE.....is the distance from outside of hub mounting flange to outside of hub mounting flange, measured one-halfway between top and bottom of hub.

DROP.....on a **SQUARE** axle: is the distance from bottom of spring pad to centerline of spindle, with axle having 3/8" thick spring locating pads welded to bottom of beam. Drops of 2 1/2", 3 1/2", 4 1/2" and 5 1/2" are available.


on a **ROUND** axle: is the distance from the centerline of the main axle beam to centerline of spindle. Drop of 4" is available on all axles weights up to 8000#. Drops of 4" and 6" on 3500#.

Note: In straight axles, the spindle centerline and axle main beam centerline are identical if camber is not considered.

SPRING CENTER.....is the distance between center of springs.

SPRINGPADS.....are locating pads welded to the axle for the springs to mount onto. Spring pads may be welded to the top or bottom of the axle main beam. **DO NOT** drill holes in beam in lieu of using spring pads. This would set up stress concentration points which will weaken

Axle Order Sheet



- A. Axle Beam Style**
 Square/Rectangle
 Size _____ " x _____ "
 Round
 Diameter _____ "
- B.** Straight Drop _____ "
- C.** Hub Face _____ "
- D.** Spring Center _____ "
 Top Bottom
- E. Axle Capacity**
 2000# 2500#
 3200# 3500#
 4250# 5200#
 6000# 7000#
 7200#
 8000# to 15,000#
 Other _____ .

- F. Hub Style**
 Idler Braking
 Drum
 7" 10" 12"
 Electric Hydraulic
 Hydraulic Disc
 DB-35
 DB-42
- G. Hub Bolt Pattern**
 440
 545
 5475
 550
 555
 655
 865
 Utility 5 bolt (14.5")

Ordered By: _____ .

Company _____ .

Phone _____ .

(909) 986-3737 Tel
 (909) 986-9765 Fax

Arrow Trailer Supplies
 10

AxleParts@ArrowTrailer.Net
[http://:www.ArrowTrailer.Net](http://www.ArrowTrailer.Net)

DB-35 Disc Brake



41050R Caliper Assembly RH, 1-pc.
41050L Caliper Assembly LH, 1-pc.
Complete With Brake Pads



33001 Brake Pad Inner - With Retainer
33002 Brake Pad Outer - Without Retainer



37110 Mounting Bracket - 1-pc. Caliper
Assembly to 5200# Axle



33079 Caliper Mounting Bolt

Used on both DB-35 & DB-42



32307 Banjo Bolt
32230 Copper Washer
32275 Banjo Fitting

(909) 986-3737 Tel
(909) 986-9765 Fax

Arrow Trailer Supplies
11

AxleParts@ArrowTrailer.Net
<http://www.ArrowTrailer.Net>

DB-42 Disc Brake



DB-42 Caliper Assembly does not include pads, springs, retainer. Order separately.



- 36020R Caliper Assembly RH, 2-pc Zinc
- 36020L Caliper Assembly LH, 2-pc Zinc
- 36021R Caliper Assembly RH, 2-pc Galv.
- 36021L Caliper Assembly LH, 2-pc Galv.

- 33016 Brake Pad - Disc Brake (req. 2)
- 36075 Spring Clip - Disc Brake (req. 2)
- 33155 Spring Clip Retainer



- 36080 Caliper Mounting Bracket for 2-pc Caliper Assembly, Zinc
- 36046 Caliper Mounting Bracket for 2-pc Caliper Assembly, Galv.

- 32500 Caliper Bleeder Screw
- 33020 Caliper Mounting Bolt 5/16-18 x 2.75



- 32498 Wheel Stud 1/2-20
- 006-080-00 Wheel Nut

(909) 986-3737 Tel
(909) 986-9765 Fax

Arrow Trailer Supplies
12

AxleParts@ArrowTrailer.Net
<http://www.ArrowTrailer.Net>

Hub/Rotors, Hub/Drums, Idler Hubs



Hub/Rotors
For Use
With
DB-42
2-Piece
Caliper
Assemblies



41038 Hub/Rotor CIHR 1377 - 545
10.25" Diameter, 15/16" Thick

36200 Hub/Rotor HVR 1750 - 655
11.50" Diameter, 15/16" Thick



Hub/Rotors
For Use
With
DB-35
1-Piece
Caliper
Assemblies



41042 Hub/Rotor CIHR 1377 - 545
9.75" Diameter, 3/4" Thick

36219 Hub/Rotor HVR 1750 - 655
36251 Hub/Rotor HVR 1750 - 865
11.75" Diameter, 3/4" Thick



Idler Hubs
Hub/Drums
10" x 2.25"



34879 Hub 1062 - 545
33693 Hub 1377 - 545


33647 Hub/Drum 1377 - 545

(909) 986-3737 Tel
(909) 986-9765 Fax


Arrow Trailer Supplies
13

AxleParts@ArrowTrailer.Net
<http://www.ArrowTrailer.Net>

Hardware / Suspension



34148 Tie Plate 2 x 1.75 Zinc
34491 Tie Plate 2 x 1.75 Raw



33513 Spring Pad - Flat
33514 Spring Pad - Formed 2" Tube




34146 U-Bolt 2 x 4.50 x 1/2-13 Zinc
34144 U-Bolt 2 x 5.38 x 1/2-13 Zinc
34143 U-Bolt 2 x 6.50 x 1/2-13 Zinc
34145 U-Bolt 2 x 7.25 x 1/2-13 Zinc



34149 Hex Nut 1/2-13 Zinc *
32455 Lock Washer 1/2" Zinc
* Torque to 30-40 ft. lbs.



32492 Straight Equalizer DE w/Bushings
34050 Triangle Equalizer DE w/Bushings
34333 Shackle Bolt 9/16-18 x 3 Plated
32432 Nut 9/16-18 Plated, Nylon Locking





AWS -2 Leaf Spring 26" DE 750# Each
AWS -3 Leaf Spring 26" DE 1125# Each
AWS -4 Leaf Spring 26" DE 1500# Each
AWS -5 Leaf Spring 26" DE 1875# Each
AWS -6 Leaf Spring 26" DE 2250# Each
AWS -7 Leaf Spring 26" DE 2600# Each
AWS -8 Leaf Spring 26" DE 2950# Each

(909) 986-3737 Tel
(909) 986-9765 Fax

Arrow Trailer Supplies
14

AxleParts@ArrowTrailer.Net
<http://www.ArrowTrailer.Net>

Hardware / Suspension



- 33214 Torsion Spindle 2500-3750#
- 36230 Torsion Spindle 5200-6000#
- 36266 Torsion Spindle 4200# (not shown)
- 33184 Torsion Arm Bolt 2500 - 4200#
- 33208 Torsion Arm Bolt 5200 -6000#

- 34322 Shackle Link 2.25" Plated
- 34731 Shackle Link 2.75" Plated
- 34349 Shackle Link 3.25" Plated
- 34336 Shackle Link 3.5" Plated



- 32402 Axle D-Washer 13/16" x 3/32"
- 33509 Axle D-Washer 13/16" x 5/16"

- 32414 Axle Nut 13/16-20
- 32418 Axle Nut Keeper

(909) 986-3737 Tel
(909) 986-9765 Fax

Arrow Trailer Supplies
15

AxleParts@ArrowTrailer.Net
<http://www.ArrowTrailer.Net>